

### **Edited by**

Adriana Sa Miguel Carvalhais Alex McLean

#### Published by

Porto University CECL (NOVA University) CESEM (NOVA University) MIPTL (University of Sussex)

#### Design

Design (event): David Palmer Design (proceedings): Joana Morgado

#### **ISBN**

978-989-746-060-9

#### **ORGANIZATION**

#### **PLANNING TEAM**

#### Adriana Sa

EAVI/Goldsmiths, University of London (general chair)

#### Alex McLean

ICSRiM/University of Leeds (co-chair)

#### **Miguel Carvalhais**

ID+ – University of Porto (co-chair)

#### Teresa Cruz

CECL/Nova University Lisbon

#### Kia Ng

ICSRiM/University of Leeds

#### **Isabel Pires**

CESEM/Nova University

#### Luísa Ribas

ID+/Faculty of Fine Arts, University of Lisbon

#### Maria Chatzichristodoulou

University of Hull

#### **TECHNICAL COORDINATION**

John Klima/Scratchbuilt Studios

#### **THANKS TO**

Raquel Castro Silvia Firmino

Rajele Jain/VIPULAMATI Associação

#### **SCIENTIFIC COMMITTEE**

#### **Samuel Aaron**

University of Cambridge

#### **Baptiste Caramiaux**

EAVI/Goldsmiths, University of London

#### **Miguel Carvalhais**

ID+ – University of Porto

### Maria Chatzichristodoulou

University of Hull

#### Teresa Cruz

CECL/Nova University Lisbon

#### **Emilia Duarte**

IADE Creative University

#### **Mick Grierson**

EAVI/Goldsmiths, University of London

#### Edwin van der Heide

Leiden University/Interfaculty The Hague

#### Martin Kaltenbrunner

ICL – University of Art and Design Linz

#### Alex McLean

ICSRiM - University of Leeds

#### **Thor Magnusson**

University of Sussex

#### Kia Ng

ICSRiM/University of Leeds

#### Rui Penha

Universidade do Porto

#### **Carlos Pimenta**

Lusófona University

#### **Isabel Pires**

CESEM/Nova University

#### Pedro Rebelo

SARC/School of Creative Arts Belfast

#### Luísa Ribas

ID+/Faculty of Fine Arts, University of Lisbon

#### Adriana Sa

EAVI/Goldsmiths, University of London

#### **Daniel Schorno**

STEIM

#### Franziska Schroeder

SARC/School of Creative Arts Belfast

#### Atau Tanaka

EAVI/Goldsmiths, University of London

#### SUBMISSION REVIEWERS

#### Samuel Aaron

University of Cambridge

#### Joanne Armitage

University of Leeds

#### **Matt Benatan**

University of Leeds

#### **Baptiste Caramiaux**

EAVI/Goldsmiths, University of London

#### **Miguel Carvalhais**

ID+ - University of Porto

### Maria Chatzichristodoulou

University of Hull

#### Teresa Cruz

CECL - Nova University Lisbon

#### **Emilia Duarte**

**IADE Creative University** 

#### Martin Kaltenbrunner

ICL – University of Art and Design Linz

#### Chris Kiefer

EAVI - Goldsmiths & Sussex University

#### **Iohn Klima**

Scratchbuilt Studios

#### Alex McLean

ICSRiM - University of Leeds

#### **Thor Magnusson**

University of Sussex

#### Kia Ng

ICSRiM/University of Leeds

#### **Adam Parkinson**

EAVI/Goldsmiths, University of London

#### Rui Penha

Universidade do Porto

#### **Carlos Pimenta**

Lusófona University

#### **Isabel Pires**

CESEM/Nova University

#### **Robin Price**

SARC/School of Creative Arts Belfast

#### Pedro Rebelo

SARC/School of Creative Arts Belfast

#### Luísa Ribas

ID+/Faculty of Fine Arts, University of Lisbon

#### Adriana Sa

EAVI/Goldsmiths, University of London

#### **Daniel Schorno**

STEIM

#### Franziska Schroeder

SARC/School of Creative Arts Belfast

#### Atau Tanaka

EAVI/Goldsmiths, University of London

#### **EDITORIAL REVIEWERS (PAPERS)**

#### Till Bovermann

Berlin University of the Arts

#### **Miguel Carvalhais**

ID+ - University of Porto

#### Marko Ciciliani

IEM – University of Music and Performing Arts Graz

#### Nuno Correia

EAVI/Goldsmiths, University of London

#### **Mat Dalgeich**

University of Wolverhampton

#### **Pete Furniss**

University of Edinburgh

#### **Chris Kiefer**

EAVI - Goldsmiths & Sussex University

#### Alex McLean

ICSRiM - University of Leeds

#### **Andrew McPherson**

Centre for Digital Music – Queen Mary University of London

#### **Tom Mudd**

Goldsmiths, University of London

#### Luísa Ribas

ID+/Faculty of Fine Arts, University of Lisbon

#### Adriana Sa

EAVI/Goldsmiths, University of London

#### **Tim Saver**

University of St Mark and St John Plymouth

#### Horácio Tome-Marques

ID+ - University of Porto

#### Ian Wilcock

University of Hertfordshire

#### Polina Zioga

Digital Design Studio/Glasgow School of Art

#### **PARTNERSHIPS**

## CECL – Centre for Communication and Languages

(Faculty of Social and Human Sciences/Nova University Lisbon)

## **CESEM – Centre for Studies in Sociology** and Musical Aesthetics

(Faculty of Social and Human Sciences/Nova University Lisbon)

## EAVI – Embodied Audiovisual Interaction Group

(Goldsmiths, University of London)

EMCN – School of Music of the National Conservatory

FBAUL – Fine Arts Faculty/University of Lisbon

IADE – Institute of Art, Design and Enterprise

ICSRiM – Interdisciplinary Centre for Scientific Research in Music (University of Leeds)

## ID+ – Research Institute for Design, Media and Culture

(Porto University + Aveiro University)

MNAC – Museu Nacional de Arte Contemporânea do Chiado

Music Informatics and Performance Technologies Lab

(Sussex University)

ZDB - Galeria zedosbois

#### **SUPPORTS**

FCT – Foundation for Science and Technology POPH/FSE

**OPTEC Lda.** 

**ScratchBuilt Studios** 

Nacional Filmes – Film Production and Sound Studio

**DP Creative** 

Teatro São Luiz

EGEAC | Câmara Municipal de Lisboa
































































# A WIRELESS FUTURE: PERFORMANCE ART, INTERACTION AND THE BRAIN-COMPUTER INTERFACES

#### **POLINA ZIOGA**

Digital Design Studio Glasgow School of Art Glasgow, United Kingdom P.Zioga1@gsa.ac.uk

#### **MINHUA MA**

School of Art, Design and Architecture University of Huddersfield Huddersfield, United Kingdom M.Ma@hud.ac.uk

#### **PAUL CHAPMAN**

Digital Design Studio Glasgow School of Art Glasgow, United Kingdom P.Chapman@gsa.ac.uk

#### **FRANK POLLICK**

School of Psychology University of Glasgow Glasgow, United Kingdom Frank.Pollick@glasgow.ac.uk

#### **ABSTRACT**

Although the use of Brain-Computer Interfaces (BCIs) in the arts originates in the 1960s, there is a limited number of known applications in the context of real-time audio-visual and mixed-media performances and accordingly the knowledge base of this area has not been developed sufficiently. Among the reasons are the difficulties and the unknown parameters involved in the design and implementation of the BCIs. However today, with the dissemination of the new wireless devices, the field is rapidly growing and changing. In this frame, we examine a selection of representative works and artists, in comparison to the current scientific evidence. We identify important performative and neuroscientific aspects, issues and challenges. A model of possible interactions between the performers and the audience is discussed and future trends regarding liveness and interconnectivity are suggested.

#### **KEYWORDS**

Brain-Computer Interface (BCI), Electroencephalography (EEG), Human-Computer Interaction (HCI), Wireless, Performance Art, Real-Time, Liveness, Mixed-Media, Audience.

#### 1.INTRODUCTION

The use of Brain-Computer Interfaces (BCIs) in the arts originates in the 1960s with the pioneering work of composers like Alvin Lucier, David Rosenboom, and others. Today there is an increasing number of musical works in the field, but there are still limited known applications in the context of real-time audio-visual and mixed-media performances<sup>1</sup> and accordingly the knowledge base of this area has not been developed sufficiently. The reasons are merely two. On the one hand, the low-cost commercial devices have only recently been available in the market, making the technology approachable to artists. On the other hand, the design and implementation of BCIs presents several difficulties and is dependent on unknown parameters. However, today the field is rapidly growing and new approaches and definitions are requested. In this frame we shall refer to the use of BCIs in the context of real-time audio-visual and mixed-media performances as live brain-computer mixed-media performances. After a brief introduction in section 2 to BCIs and the particular difficulties they present, we examine in section 3 a selection of representative works and artists, in order to identify important performative and neuroscientific aspects, issues and challenges and show how the development of the field is changing with the dissemination of the new wireless devices. In section 4 we outline possible directions for the future research and practices and we suggest a model of possible interactions between the performers and the audience.

## 2. BRAIN-COMPUTER INTERFACES: LIMITATIONS, DIFFICULTIES AND UNKNOWN PARAMETERS

Wolpaw and Wolpaw (2012, 3-12) defined a BCI as:

"[...] a system that measures CNS [Central Nervous System] activity and converts it into artificial output that replaces, restores, enhances, supplements, or improves natural CNS output and thereby changes the ongoing interactions between the CNS and its external or internal environment."

Among the non-invasive techniques used for signal acquisition in BCIs, the most common is Electroencephalography (EEG). EEG, a technique that can be applied to humans repeatedly with no risk or limitation, is the recording of the electrical activity along the scalp, by measuring the voltage fluctuations resulting from the current flows (Teplan 2002, Niedermeyer and da Silva 2004). The recorded electrical activity is then categorized in rhythmic activity frequency bands,<sup>2</sup> which are associated to different brain- and cognitive- states. EEG is a very effective technique for measuring changes in the brain-activity with accura-

<sup>1.</sup> We use the term "mixed-media performances" as introduced by Auslander (1999, 36): "[...] events combining live and mediatized representations: live actors with film, video, or digital projections [...]."

<sup>2.</sup> The EEG rhythmic activity frequency bands are delta (<4Hz), theta (4-7Hz), alpha (8-13Hz), beta (14-30Hz), and gamma (30-100Hz).

cy of milliseconds. However, one of its technical limitations is the low spatial resolution, as compared to other brain imaging techniques, like fMRI (functional Magnetic Resonance Imaging), meaning that it has low accuracy in identifying the region of the brain being activated.

At the same time the design and implementation of the BCIs presents additional difficulties and is dependent on many factors and unknown parameters, such as the unique brain anatomy of the person wearing each time the device, the task/s being executed, the type of sensors used, the location of the sensors which might be differentiated even slightly during each session, and the ratio of noise and non-brain artifacts to the actual brain signal being recorded. More specifically among the non-brain artifacts are included the "internally generated", such as the EMG (electromyographic) deriving from the neck and face muscles, the eye movements, but also the heart activity, and the "externally generated" like spikes from equipment, cable sway and thermal noise (Swartz Center of Computational Neuroscience, University of California San Diego 2012).

In recent years, with the accelerating advances in neuroscience and biomedical engineering research, new low-cost devices which use wet or dry sensors have been developed. Neurosky introduced in 2007, the first, to our present knowledge, wireless device for consumer use, which was also the first device with a dry sensor that did not require the application of a conductive gel, nor skin preparation (bnetTV.com 2007). In 2009, Emotiv launched two wireless devices, the EPOC and the EEG neuroheadset, with 14 wet sensors plus 2 references. At the same time, alongside with the companies building new wireless interfaces, a community of developers and engineers working on DIY (do it yourself) devices has also emerged, such as the OpenEEG project (OpenEEG project 2014), which is a relatively well-known community amongst artists and creative practitioners. This way and within only a few years, the EEG technology has been made more approachable and easy-to use and therefore the applications in the arts have radically increased and the practices have changed. As we will discuss further on, the new wireless devices help the artists to overcome important constraints, but at the same time they also present new challenges.

# 3.THE USE OF BCIS IN REAL-TIME AUDIO-VISUAL AND MIXED-MEDIA PERFORMANCES: NEUROSCIENTIFIC AND PERFORMATIVE CHALLENGES 3.1. KINESIOLOGY, FACIAL EXPRESSION AND NOISE

Since the first works with the use of BCIs, performers have encountered considerable limitations to their kinesiology and even their facial expression; either in cases they use wired devices and electrodes, and/or because of the contamination of the EEG-data with noise and non-brain artifacts from the cranial and body muscles. A well-known example is *Music For Solo Performer* (1965) by Alvin Lucier, which is considered the first real-time performance using EEG. In this work, the

performer has two electrodes attached to his forehead, while he sits almost without moving on a chair, opening and closing slowly his eyes, thus controlling the effect of the visual stimuli on his brain-activity and consequently the alpha rhythmic activity frequency band, which is associated with a brain-state of relaxation. The electrodes are connected via an amplifier to a set of speakers, who transmit the electrical signal and vibrate percussion instruments placed around the performance space (Ashley 1975).

Another example is INsideOUT (2009) by Claudia Robles Angel, in which she uses an open source EEG interface from Olimex, consisting of one analogue and one digital board, connected to a computer. Two electrodes, one on her forehead and one on the back of her head, are connecting respectively the frontal lobe's activity with the sound output from the computer and the occipital lobe's activity with the video output. The sounds and images are projected on a screen and onto the performer. They are controlled by the values of the signals acquired via the electrodes and processed via the MAX/MSP software (Angel 2011). In one of her interviews, Angel mentions that with the EEG interface she could not move because it "is so sensitive that if you move you get values [noise] from other sources" (Lopes and Chippewa 2012). Today, the new wireless devices have provided the performers with greater kinetic and expressive freedom, while in some cases they also include filters and algorithmic interpretations which can be used to some extent for the real-time processing of the acquired data. However there are certain issues, which will be discussed more in detail in section 3.4.

#### 3.2. RHYTHMIC ACTIVITY FREQUENCY BANDS AND COGNITIVE STATES

The limitations imposed in the performers' kinesiology and facial expression, like in the previously presented examples of works, have further implications and result in additional performative constraints, such as the inevitable focus in the control of only the relaxation state and the associated alpha rhythmic activity frequency band. For performers that are interested in using BCIs while engaging in more active situations and states of tension, like for example in works that involve intense kinesiology and speech, the use of wireless devices is indispensable. Consequently they are also enabled to consider all the different frequency bands, associated with a greater range of brain- and cognitive-states. The EEG-data can be further processed and differentiated according to the tasks executed and in consistency with the dramaturgical conditions of the performance. In this way the use of the BCIs as a medium in live performances is enriched. Examples of such works are presented in the following sections.

#### 3.3. SPATIAL RESOLUTION AND THE HEAD VOLUME CONDUCTION EFFECT

As we discussed in section 2, one of EEG's technical limitations is its low spatial resolution, which is also further influenced by the "head volume conduction effect" (He and Ding 2013), meaning that the recorded

electrical signal is further blurred, as it passes through the different anatomical tissues of the head, before it reaches the scalp. The result of this phenomenon is that positioning the electrodes or sensors on different locations on the head cannot be easily associated with the activity of specific regions of the brain. In neuroscience research, in order to bypass this limitation, apart from the clinical grade systems that can use up to 256 electrodes, there are methods and tools, such as invasive BCIs, the complementary use of fMRI scans, as well as complex linear algebra mathematical modelling. However, these techniques are currently not applicable to artistic performances and especially in cases where low-cost interfaces are used with limited number of electrodes/ sensors, either wireless or not. For this reason, either the artists should not rely the concept of their live brain-computer mixed-media performances on the localisation of the electrodes/sensors or they should consider applying a combination of pre-performance study and on-performance use of computational processing, which however is complex and therefore challenging.

#### 3.4. RAW EEG DATA VERSUS "DETECTION SUITES"

The new low-cost wireless devices have not only given greater kinetic and expressive freedom to the performers, but with their accompanying user-friendly software, SDK (software development kit) licences and a variety of connectivity solutions, they have enabled artists to establish communication with different hardware and boards like Arduino, and software like Pure Data, MAX/MSP, Processing, Ableton Live and others, creating prototypes and playful applications. This easiness is largely achieved because these devices enable the real-time raw EEG data extraction, but at the same time they also include ready-made algorithmic interpretations and filters for feature extraction. For example the user can view and process/map data under categorisations such as "frustration" or "excitement", "meditation" or "relaxation", "engagement" or "concentration", which are differentiated amongst the different devices and manufactures.

For example, Adam John Williams with Alex Wakeman and Robert Wollner presented in 2013 a project, which uses an Emotiv EPOC headset in order to connect with and sent to a computer the participants' EEG data, converting them to:

"[...] OpenSound Control messages, which were sent to a Mac where Max MSP used the data to adjust the rules of a generative music engine. Tempo and sync information were then packed along with the original EEG messages and transmitted to the Raspberry Pi upon which the visuals were generated."

Williams 2013

As it is shown in the video documentation, the software processes different inputs titled as "Bored/Engaged", "Excited", "Excited LT", "Meditation" and "Frustration", which are associated with the Emotiv's "detection suites" (Emotiv 2014).

Lisa Park in her work *Eunoia* (2013), a Greek word meaning good-will and beautiful thinking, reinterprets in a way Alvin Lucier's *Music for Solo Performer* (1965) by using Neurosky's Mindwave wireless device, monitoring her brain-wave activity and processing the EEG-data categorised in different rhythmic activity frequency bands, but also states, such as "Attention" and "Meditation". These data and the corresponding values are amplified and transmitted through five speakers, positioned underneath equal number of round metal plates, filled with water, and associated according to the artist with the emotions of "happiness", "anger", "sadness", "hatred", and "desire". The speakers vibrate the metal plates and "varieties of water forms" are created (Park 2013).

Although the use of the aforementioned "detection suites" serves in the artists' hands as ready-made tools for the creation of inspiring and imaginative works, there are two facts that we should bear in mind. On the one hand the algorithms and methodology upon which the interpretation and feature extraction of the brain's activity is made are not published by the manufactures. On the other hand the published neuro-science research in the field of emotion recognition via the use of EEG data is fairly new. Thus, the use of these "detections" of emotional states should not necessarily be regarded as accurate and therefore the creative results may not be consistent to the artists' original intentions.

Two examples in the direction of scientifically established use of emotion interpretation via EEG in the arts, come from the field of computer music research. The Embodied AudioVisual Interaction Group (EAVI) at Goldsmiths, University of London, has developed a BCI toolkit, that can be used with both clinical grade and consumer level devices, and has the ability of detecting Event Related Potentials (ERPs) used for "making high-level musical decisions", like for example in Finn Peters' *Music of the Mind* (2010) album and tour (Grierson, Kiefer, and Yee-King 2011). For their under development performance piece *The Space Between Us*, Eaton, Jin, and Miranda (2014) describe the measurement and mapping of valence and arousal levels within EEG, for which there are different known methods with well documented results. Similar approaches can contribute to a new system of validation and evaluation, enabling further advancements in the field.

## 3.5. COHERENCE, SYNCHRONICITY AND INTERACTION WITH MULTIPLE PARTICIPANTS

One of the most cited works, Mariko Mori's *Wave UFO* (2003) is an immersive video installation, where computer-generated graphics are combined with the "real-time interpretation of three participants' alpha, beta, and theta brain-waves" (Mori, Kunsthaus Bregenz, and Schneider 2003). The participants are wearing EEG devices with three electrodes/sensors attached to their foreheads, recording the frequencies of their brains' right and left hemispheres. According to which frequency is showing higher activity, projected animated spheres on the ceiling

(one for each participant's hemisphere) take a different/associated colour (red for beta band, blue for alpha and yellow for theta). At the same time is also animated each participant's brain coherence with a second pair of smaller spheres, the "Coherence Spheres". By coherence the artist refers to the phenomenon of synchronicity of the alpha-wave activity between the two brain's hemispheres (Mori, Kunsthaus Bregenz, and Schneider 2003). When this is achieved, the "Coherence Spheres" are joining together. If all the participants reach this state, then a circle is created, as a scientific and visualisation approach to the artist's idea of connectivity. Coherence in Mariko Mori's work also serves as an example of a real-time interaction between the brain activity of multiple participants and the visualisation of the brain-data as a form of physicalisation, which is the process of rendering physical the abstract information through either graphical representation and visual interpretation or sonification (Tanaka 2012).

More recently, the Marina Abramovic Institute Science Chamber and neuroscientist Dr. Suzanne Dikker have been collaborating in a series of projects, like *Measuring the Magic of Mutual Gaze* (2011), *The Compatibility Racer* (2012) and *The Mutual Wave Machine* (2013), which explore "moments of synchrony" of the brain-activity between two participants, when they interact by gazing at each other (Dikker 2014). As Dikker explains by "moments of synchrony" are meant points in time when the two participants present the same predominant brain-activity (Marina Abramovic Institute 2014). Could we expect to see in the future *live brain-computer mixed-media performances* where an interaction between the performer/s' and the audience's brain activity, jointly contribute to the final creative output/result? In this case what kind of new connections and cognitive issues might emerge?

#### 4. TOWARDS THE FUTURE


#### 4.1. LIVENESS AND INTERACTION WITH THE AUDIENCE

In real-time audio-visual and mixed-media performances, from experimental underground acts to multi dollar music concerts touring around the world in big arenas, liveness is a key element. In the case of performers using laptops and operating software, the demonstration of liveness to the audience is a challenge approached in various ways. The Erasers (2013) for example, transform the stage into a kind of audio-visual laboratory, where the creative process and the different techniques they use to produce moving images and sound, as well as the final outcome are immediately visible to the audience. Other performers use two projections, with one of them showing their computers' desktops and the other one showing the visual output/result. A similar approach is also live coding, a programming practice disseminated in contemporary music improvisational performances.

In the field of *live brain-computer mixed-media performances*, the members of PULSE4ART group, awarded in *Errors Allowed Mediterranea 16 Young Artists Biennial* (2013), have mentioned that in their 2014

new project they will engage the audience by having them wear the headsets and contributing their EEG data to the performance, much like the way it was realised in their 2013 project *ALPHA* (Pulse 4 Arts and Oullier 2014). The project is an improvisation-based performance with live music, live visuals and the brain-activity of two dancers wearing two EPOC headsets extracted and mapped real-time to projected moving images (Association Bjcem 2013). Also Lisa Park, in her demo video for her upcoming performance *Eudaimonia*, a Greek word meaning bliss, presents the idea of an installation with the collaboration of eight to ten participants wearing portable BCI devices. As in her 2013 performance, discussed in section 3.4, the brain-activity of the participants will be physicalised as sound-waves, played by speakers placed underneath a shallow pool of water, vibrating and creating "corresponding ripples and droplets" on the surface (Park 2014).

From these and other examples a question deriving is: what might be a model for interaction between the performer/s' and the audience's brain-activity in the context of a *live brain-computer mixed-media performance* and how could liveness be presented to the audience? In Figure 1, we present a proposal for such a model, which demonstrates the collective participation and co-creation of the mediatized elements of the performance. According to the model, the audience is made aware of the liveness of the performance by realising the interaction taking place among its EEG activity, the audio and visual outputs and finally the performer/s themselves.



**Figure 1** A model of interactions between the performer/s and the audience in *live* brain-computer mixed-media performances.

The model currently serves as the basis for the development by the authors of a new multi-brain EEG-based BCI system, which will be used

in the context of a new live brain-computer mixed-media performance, due to be presented in the coming months.

#### 4.2. INTERCONNECTIVITY

As the research and development of applications are advancing, new possibilities are emerging for the BCIs to connect with other devices, and ultimately the World Wide Web. The idea of using technology, sensors and computers to connect the human body to the Internet is not new in the arts. Stelarc, a performance artist using biotechnology, robotics, virtual reality systems and the Internet, probes and acoustically amplifies his own body (Stelarc 2014). During the *Telepolis* event that took place in November 1995, a series of sensors were attached to different parts of his body, connected to a computer with a "touch screen interface & muscle stimulation circuitry", and via the computer to the World Wide Web (Smith 2005). Through a "performance website" the audience remotely viewed, accessed, and actuated the body by clicking/sending commands to the computer interface located together with Stelarc at the performance site. The result was causing the body to move involuntary (Stelarc 1995).

In August 2013 Rao and Stocco conducted in the University of Washington the pilot study *Direct Brain-to-Brain Interface in Humans*. In the published research report is described the first brain-to-brain interface between two humans, which transmits EEG signals recorded from the first participant to the second over the internet (Rao et al. 2014). In August 2014 Grau et al. published the results of a series of experiments with established "internet-mediated B2B [Brain to Brain] communication by combining a BCI [...] with a CBI [Computer-Brain Interface]". Of course the Brain to Brain research is a newly-born scientific breakthrough and therefore currently far from being applicable in the arts. However, the use of EEG data transferred via the internet is a reality and it is only a matter of time to witness similar applications in the context of *live brain-computer mixed-media performances*, the practices and theories of interconnectivity.

#### 5. CONCLUSIONS

There is no doubt that the new wireless devices are not only the future, but already the present in the field of *live brain-computer mixed-media performances*. Artists are not only enabled with the new EEG technologies to use their own brain in their creative practices in the most direct way made so far possible, but they are also given a new freedom of access, interpretation, communication, interaction, and the ability to investigate new performative patterns.

The presented and discussed artists and their work is only a sample of the continuously increasing number of imaginative applications, creative and playful ideas that have emerged within only a few years. The new wireless devices help performers to overcome the so far dom-

inant constraints, providing them with greater kinetic and expressive freedom, but at the same time they also present new challenges. By taking into account both the advantages and disadvantages, the opportunities and limitations of the technology, in comparison with the current scientific research and methodologies, artists can enrich their practices in a meaningful and consistent to the medium way. They will be able to contribute to the advancement of the field and the creation of a greater and more validated area of investigation in discourse with other relevant practices. We expect in the near future much progress and new aesthetic experiences intersecting and transcending the boundaries of performance and new media art, experimental psychology, computational neuroscience, and modern brain-computer interface design.

#### **REFERENCES**

- **Angel, Claudia Robles.** "Creating Interactive Multimedia Works with Bio-data" in *NIME '11 International Conference on New Interfaces for Musical Expression.* Oslo: NIME '11, 30 May 1 June, 2011, 421-424.
- **Ashley, Robert.** "Music with Roots in the Aether Alvin Lucier (1975)". UbuWeb video, 121:35. Accessed April 19, 2014. http://ubu.com/film/aether\_lucier.html.
- **Association Bjcem.** ERRORS ALLOWED MEDITERRANEA 16 YOUNG ARTISTS BIENNI-AL ANCONA 2013. Macerata: Quodlibet srl, 2013.
- **Auslander**, **Philip**. *Liveness: Performance in mediatized culture*. New York: Routledge, 1999.
- **bnetTV.com.** "NeuroSky CTIA 2007". Youtube video. 05:28. Posted by "NeuroSky, Inc.", 2007. Accessed April 4, 2014. https:// youtube.com/watch?v=qTYXOMuVL5E.
- **Dikker, Suzanne.** "REAL-TIME INTERACTIVE BRAIN INSTALLATIONS". Last Modified September 2014. Accessed October 19, 2014. https://files.nyu.edu/sd1083/public/art.html.
- Eaton, Joel, Jin, Weiwei, and Miranda, Eduardo. "The Space Between Us: A Live Performance with Musical Score Generated via Affective Correlates Measured in EEG of One Performer and an Audience Member" in NIME'14 International Conference on New Interfaces for Musical Expression. London: NIME '14, June 30 July 03, 2014, 593-596.
- Emotiv. "Emotiv eStore". Accessed October 20, 2014. http://emotiv.com/store/compare.
- Grau, Carles, Ginhoux, Romuald, Riera, Alejandro, Nguyen ,Thanh Lam, Chauvat Hubert, Berg, Michel, Amengual, Julia L., Pascual-Leone, Alvaro, Ruffini, Giulio. "Conscious Brain-to-Brain Communication in Humans Using Non-Invasive Technologies". *PLoS ONE* 9(8) (2014): e105225. Accessed October21, 2014. doi:10.1371/journal.pone.0105225.
- Grierson, Mick, Kiefer, Chris, and Yee-King, Matthew. "PROGRESS REPOST ON THE EAVI BCI TOOLKIT FOR MUSIC: MUSICAL APPLICATIONS OF ALGORITHMS FOR USE WITH CONSUMER BRAIN COMPUTER INTERFACES." in *Proceedings of the International Computer Music Conference 2011*. University of Huddersfield, UK: 31 July 5 August 2011, 110-113.
- **He, Bin and Ding, Lei.** "Electrophysiological Mapping and Neuroimaging". In: *Neural Engineering*, edited by Bin He. New York: Springer Science+Business Media, 2013.
- Lopes, Pedro and Chippewa, Jef. "Performing Biological Bodies An open conversation with Marco Donnarumma, Claudia Robles and Peter Kirn at Body Controlled #4 (Berlin, 11–15 July 2012)". eContact! 14.2 Biotechnological Performance Practice/ Pratiques de performance biotechnologique (July / juillet 2012). Montréal: Communauté électroacoustique canadienne / Canadian Electroacoustic Community. Accessed March 25, 2014. http://cec.sonus.ca/econtact/14\_2/lopes\_bc4-interview.html.
- **Marina Abramovic Institute.** "Out of the Lab". Accessed October 19, 2014. http://www.immaterial.org/content/2014/6/9/out-of-the-lab.
- Mori, Mariko, Kunsthaus Bregenz, and Schneider, Eckhard. Mariko Mori: wave UFO. Köln: Verlag der Buchhandlung Walther König, 2003.

- Niedermeyer, Ernst and da Silva, Fernando Lopes. Electroencephalography: Basic Principles, Clinical Applications, and Related Fields. Philadelphia; London: Lippincot Williams & Wilkins, 2004.
- **OpenEEG project.** "Welcome to the OpenEEG project". Accessed April 22, 2014. http://openeeg.sourceforge.net/doc/index.html.
- Park, Lisa. "Eunoia". 2013. Accessed October 19, 2014. http://www.thelisapark.com/#/eunoia.
- ———. "eunoia (about the process)". Vimeo video, 05:33. Posted by "Lisa Park", 2013. Accessed October 19, 2014. https://vimeo.com/67935519.
- ———. "Eudaimonia". Vimeo video, 02:23. Posted by "Lisa Park", 2014. Accessed October 19, 2014. https://vimeo.com/85057000.
- Pulse 4 Arts and Oullier, Olivier. "Interview: Pulse 4 Arts & Olivier Oullier talk about The Neuromix and their projects for 2014". La Nuit Magazine, January 9, 2014. Accessed April 19, 2014. http://lanuitmagazine.com/2014/01/09/interview-pulse-4-arts-olivier-oullier-talk-about-the-neuromix-and-their-projects-for-2014 (webpage discontinued).
- Rao, Rajesh P.N., Stocco, Andrea, Bryan, Mathew, Sarma, Devapratim, Youngquist, Tiffany M., Wu, Joseph, and Prat, Chantel. A Direct Brain-to-Brain Interface in Humans. University of Washington Computer Science and Engineering. Technical Report No. UW-CSE-14-07-01. July, 2014. Accessed October 22, 2014. http://homes.cs.washington.edu/~rao/brain2brain/UW-CSE-14-07-01.PDF.pdf
- Smith, Marquard, ed. STELARC THE MONOGRAPH. Cambridge: MIT Press, 2005.
- **Stelarc.** "Fractal Flesh". 1995. Accessed April 22, 2014. http://stelarc.va.com.au/projects/fractal/ffvid.html.
- . "BIOGRAPHY". Accessed October 20, 2014. http://stelarc.org/?catID=20239.
- Swartz Center of Computational Neuroscience, University of California San Diego. "Introduction To Modern Brain-Computer Interface Design Wiki". Last modified June 10, 2014. Accessed September 24, 2014. http://sccn.ucsd.edu/wiki/Introduction\_To\_Modern\_Brain-Computer\_Interface\_Design.
- **Tanaka, Atau.** "BioMuse to Bondage: Corporeal Interaction in Performance and Exhibition". In: *Intimacy Across Visceral and Digital Performance*, edited by Maria Chatzichristodoulou and Rachel Zerihan. Hampshire: Palgrave Macmillan, 2012.
- **Teplan**, **Michal**. "FUNDAMENTALS OF EEG MEASUREMENT". *MEASUREMENT SCIENCE REVIEW* Volume 2, Section 2 (2002): 1-11.
- The Erasers. "About". Accessed April 21, 2014. http://theerasers.org/about.
- Williams, Adam John. "Adam John Williams speaks on BBC Tech News about EEG-controlled generative music". Youtube video, 01:33. Posted by "Adam John William", January 2, 2014. Accessed April 18, 2014. http://youtube.com/watch?v=CrY42RS9f0k.
- Wolpaw, Jonathan R. and Wolpaw, Elizabeth W. "Brain-computer interfaces: something new under the sun". In: *Brain-computer interfaces: principles and practice*, edited by Jonathan R. Wolpaw and Elizabeth W. Wolpaw. Oxford: Oxford University Press, 2012.

THAT

